



Series Mechanical Pedestrian Push Button




200

Features

- Dry Contact
- Snap Action
- All Metal Construction
- 5 Year Warranty
- ADA Compliant



Verisys
Registrars®
ISO 9001:2008
Certified



Overview

This line of robust push buttons are all metal construction to offer a great value against direct abuse. The switch is a phenolic enclosed precision snap action, single pole, double throw type. A passive linear bearing is utilized to reduce the coefficient of friction in the functional components. All components are machined to precise dimensions and finish. Series push buttons are ADA compliant.

Materials

Series Mechanical Pushbuttons are made from solid stock

- Bezel 6061 T6 Al
- Actuator SS or Al
- Field Terminal SS
- Finish- Powder Coat

Form Factor

- Round 3" OD
- Rectangle 2.8"x 4.5"
- Large Rectangle 5" X 9"

Powder Coated Hard Enameled

- Yellow
- Black
- Green
- Clear Coat Natural







Electrical Specifications		
Operating Voltage	Up to 250 V (AC/DC)	
Switch Current Max	15 amps	
On Resistance	< 1 ohms	
Operating Mode	NO	
Switch	Single Pole	

500



Operating Data		
Operating Force	< 3 lbf	
Operating Temperature	-15C to 80C	
Operating Life	10 x 10 ⁶	
IP Rating	62	

Materials	
Bezel	AL
Actuator	SS, AL
Hardware	SS
Finish	Powder Coat

400

ABOUT

Campbell Company is the leading American manufacturer of pedestrian signal safety products, accessible pedestrian signals (APS) pedestrian push buttons, signs, and hardware.

ADDITIONAL INFORMATION

More information can be found at: www.pedsafety.com

Form Factor	
Round	3" OD – 4 hole, 2 hole
Rectangular	2.8" x 4.5" – 4 hole, 2 hole
Large Rectangular (Cast)	5" X 9" – 2 hole
Color	Black, Green, Yellow, Natural
Warranty	5 Year

